

Euro Plant Tray Label Information



Structure and properties:

Manufacturing process: digital print, multi color, CMYK, at least 812 dpi
Base material: Polyolefine or alternatives, inmouldable
Antenna+chip: UHF
Surface: uv- and chemical resistant laminate, no lotus effect, can be covered with adhesive
Measurements: 45mm x 16mm
Thickness of label: 0,275mm +/- 18µ

Technology RFID/UHF

Operating frequency: 860-960 MHz EPC Class 1 Gen 2 conform
Memory size: 128 bit EPC

Print data/Coding:

Barcode 1D: EAN 13; 13 digits
Barcode 2D: GS1 Datamatrix, 26 digits
Chip coding: Chip programmed with the 2D code information according to GS1 Data standard

Contact:

inotec Barcode Security GmbH
Havelstr. 1-3
D-24539 Neumünster
Deutschland

Tel.: +49 4321 8709 0

info@inotec.de

inotec Barcode Security S.A.R.L.
ZA de Courtaboeuf 12 avenue de
Scandinavie
F-91967 Les Ulis
France

Tel.: +33 1 69 29 81 11

info@inotec.fr

inotec Barcode Security BV
Bijsterhuizen 3009
NL-6604 LP Wijchen
Netherlands

Tel.: +31 24 34 50 480

info@inotec.nl

inotec Barcode Security Ltd.
Inotec House – Viking Close
Willerby, East Yorkshire HU10 6DZ
United Kingdom

Int: +44 1482 – 65 44 66

info@inotecbsl.com

inotec Barcode Security s.r.o.
Vodičkova 710/31
110 00 Praha 1
Czech Republic

Tel.: +420 725 811 477

janecek@inotec-barcode.cz

